

franklin[®]

HARD COURT[®]

BASKETBALL SET

ITEM NUMBER: **60116X**

www.franklinsports.com/60116X



Made In China
Franklin Sports Inc.
Stoughton, MA 02072



SAFETY INSTRUCTIONS



FAILURE TO FOLLOW THESE SAFETY INSTRUCTIONS MAY RESULT IN SERIOUS INJURY AND/OR PROPERTY DAMAGE AND WILL VOID WARRANTY.

Owner must ensure that all players know and follow these rules for safe operation of the system.

To ensure safety, do not attempt to assemble this system without following the instructions carefully. Check entire box and inside all packing material for parts and/or additional instruction material. Before beginning assembly, read the instructions and identify parts using the hardware identifier and parts list in this document. Proper and complete assembly, use, and supervision are essential for proper operation and to reduce the risk of accident or injury. A high probability of serious injury exists if this system is not installed, maintained and operated properly.

- If using a ladder during assembly, use extreme caution.
- 2 capable adults are recommended for this operation.
- Check base daily for leakage. Leaks will cause system to fall.
- Assemble the pole sections properly. Failure to do so could cause the pole sections to separate during play or transport.
- Minimum operational height is 6.5' (1.98m) to the bottom of backboard.

Most injuries are caused by misuse and/or not following instructions.
Use caution when using this system.



















Save these instructions for future reference.

For assistance:

DO NOT CALL THE STORE!

**PLEASE CONTACT OUR CUSTOMER SERVICE
DEPARTMENT at 1-800-225-8649**

PARTS LIST


<p>1</p>  <p>QTY x1</p> <p>3pc Axle Set</p>	<p>2</p>  <p>QTY x2</p> <p>Lower Left & Right Brace</p>	<p>3</p>  <p>QTY x1</p> <p>Top Left & Right Brace</p>
<p>4</p>  <p>QTY x1</p> <p>Top Pole</p>	<p>5</p>  <p>QTY x1</p> <p>Middle Pole</p>	<p>6</p>  <p>QTY x1</p> <p>Lower Pole</p>
<p>7</p>  <p>QTY x1</p> <p>Rep. Part: 60116X-R4</p> <p>Rim</p>	<p>8</p>  <p>QTY x1</p> <p>Rep. Part: 60116X-R2</p> <p>Backboard</p>	<p>9</p>  <p>QTY x1</p> <p>Rep. Part: 60116X-R3</p> <p>Net</p>
<p>10</p>  <p>QTY x2</p> <p>Wheels</p>	<p>11</p>  <p>QTY x1</p> <p>Base</p>	<p>12</p> <p>Pre-Installed</p>  <p>QTY x1</p> <p>Rep. Part: 60116X-R6</p> <p>Plastic Insert Tube</p>
<p>A</p>  <p>QTY x2</p> <p>Rep. Part: 60116X-R1</p> <p>Screw Washer Sets</p>	<p>B</p>  <p>QTY x3</p> <p>Rep. Part: 60116X-R1</p> <p>Bolt, Nut & Washer Sets</p>	<p>C</p>  <p>QTY x2</p> <p>Rep. Part: 60116X-R1</p> <p>Bolt, Nut & Washer Sets</p>
<p>D</p>  <p>QTY x2</p> <p>Rep. Part: 60116X-R5</p> <p>Screws</p>	<p>E</p>  <p>QTY x4</p> <p>Rep. Part: 60116X-R1</p> <p>Bolt, Nut & Washer Sets</p>	<p>F</p>  <p>QTY x1</p> <p>Rep. Part: 60116X-R1</p> <p>Tool Set</p>

ASSEMBLY INSTRUCTIONS


GENERAL NOTE

1. Remove all components from the shipping carton. Remove all protective wrap and layout all components on the ground.
2. Ensure you have all components shown in the parts identifier.

STEP 1




PARTS




NOTE

Position the **Wheels** (#10) and **Lower Pole** (#6) in the locations on the base, slide the **Axels** (#1) through the **Base** (#11) to hold wheels and lower pole in place.

STEP 2



PARTS




NOTE





Using the **Tool Set** (F), screw in the **Bolt, Nut & Washer** (B) and the **Bolt, Nut & Washer Sets** (C) to secure the **Lower Left & Right Brace** (#2) to the lower pole and base.

ASSEMBLY INSTRUCTIONS

STEP 3



PARTS

5		x1
6		x1
12		x1
D		x1


NOTE

The **Plastic Insert Tube** (#12) sits inside the **Middle Pole** (#5) and **Lower Pole** (#6).



Insert the **Middle Pole** (#5) into the **Lower Pole** (#6). Secure using **Screw** (D).

(The screw should be flush with the pole.)

STEP 4



PARTS


7		x1
9		x1

NOTE

Attach **Net** (#9) to **Rim** (#7) as shown.

ASSEMBLY INSTRUCTIONS

STEP 5



PARTS

3		x1
4		x1
7		x1
8		x1
A		x2
B		x2
E		x4
F		x1


NOTE

Attach **Rim (#7)** to the **Backboard (#8)** using **Bolt, Nut & Washer Sets (E)** as shown.

Secure the **Top Pole (#4)** to the **Top Left & Right Brace (#3)** as shown.

Attach **Top Left & Right Brace (#3)** to the back of the **Backboard (#8)** as shown.

STEP 6



PARTS

4		x1
5		x1
D		x1

NOTE

Insert the **Top Pole (#4)** into the **Middle Pole (#5)**. Secure using **Screw (D)**.

(The screw should be flush with the pole.)

HEIGHT ADJUSTMENT SYSTEM:


With 2 adults, loosen bottom screw, adjust middle pole upward to desired height and tighten screw. Repeat for top screw and pole for increased height. Height adjusts from 6.5ft (1.98m) to 10ft (3m).

ASSEMBLY INSTRUCTIONS

STEP 7



PARTS



NOTE

(2) Adults are required to complete assembly. To prevent serious injuries, the pole should be held down by one adult at all times while the base is being filled.

Lean system forward, resting rim on the ground. Remove cap from hole furthest from the pole. Using a funnel (not included), fill the **Base** (#11) with sand until the sand is just below the hole.

Using 2 adults, stand the base up on a flat surface and finish filling the base with sand.



WARNING:

For safety reasons, we recommend that sand be used instead of water to fill the base. If a leak develops, water could run out unnoticed, allowing the system to fall over, resulting in serious injuries, or property damage. If using water, check the base carefully for leaks. If a leak is found, lay the system down on the ground and call customer service. Do not use, stand up, or play on a leaking system.

MOVING THE SYSTEM



WARNING:

The system must only be moved by at least 2 adults that are capable of handling weight. DO NOT allow children to move unit.

- Adjust the system to its lowest position and lock in place to prevent the height mechanism from adjusting.
- Standing in front of the unit, pull the pole down until unit is balanced on the 2 wheels.
- Move the unit to the desired location and carefully lower unit back down.



CAUTION:

The system must only be moved when balanced on the wheels. Sliding the unit any other way may cause damage to the base and could result in sand leakage and/or system tipping over.



WARNING



FAILURE TO FOLLOW THESE WARNINGS MAY RESULT IN SERIOUS INJURY AND/OR PROPERTY DAMAGE.

Owner must ensure that all players know and follow these rules for operation of the system.

- Only hang from the rim briefly to regain balance or avoid injuring others. Release the rim as safely as possible.
- During play, especially when performing dunk type activities, keep players face away from the backboard, rim and net. Serious injuries could occur if teeth/face come in contact with backboard, rim, or net.
- Do not slide, climb, or play on base or pole.
- Completely fill base according to manufacturers instructions or the system will tip quickly causing serious personal injury.
- When adjusting height or moving system, keep hands and fingers away from moving parts.
- Do not allow children to move or adjust system.
- During play, do not wear jewelry (rings, watches, necklaces, etc.) Objects may entangle in net.
- Surface beneath the base must be smooth and free of gravel or other objects. Punctures can cause leakage and could cause system to tip over.
- Keep water and organic materials away from pole. Pole can rust and fall.
- Once a month check pole and all metal parts for rust. Completely remove rust and repaint with exterior enamel. If rust has penetrated any steel part, replace that part immediately.
- Check system before each use for proper ballast, loose hardware, instability, and signs of corrosion and repair before each use. Never play on damaged equipment.
- Do not use system during windy or severe weather. System may tip over. Place system in an area protected from the wind or in an area away from property that may be damaged if the system falls.

FRANKLIN SPORTS

1-800-225-8649



WARNING:

Failure to observe this warning may cause property damage and/or serious injury.

This product is NOT designed to support a player hanging from any component of this basketball system.

Rim height adjustments should be made by ADULTS ONLY.

Wear a mouth guard when playing to avoid dental injuries.

During play, do not wear jewelry (rings, watches, necklaces, etc.).

Objects may entangle in net.



WARNING:

**SWINGING ON THIS RIM
MAY CAUSE SERIOUS INJURY
OR DEATH**

YOU ARE NOW READY TO PLAY!

franklin[®]

For replacement parts:
Visit: www.franklinsports.com/60116X
Email: parts@franklinsports.com
Call: 1-800-225-8649